UNIVERSAL PARTS

RELIABLE REPLACEMENTS

Fort Smith, Arkansas 72917-7010

# REPLACEMENT PARTS LIST

## [-]GTA GAS FIRED DOWNFLOW/HORIZONTAL FURNACE

**SERIES A** **SIZES 04E THRU 12E**



# TABLE OF CONTENTS



| | | | |
|---|---|---|---|
| Notes | Page 2 | Electric | Page 7 |
| Model Number Explanation | Page 5 | Blower Group | Page 7 |
| Serial Number Explanation | Page 5 | Heat Exchanger/Burner Manifold/Orifice | Page 8 |
| Panels & S/M Parts | Page 6 | Gas Controls | Page 8 |
| Piping/Trap/Wiring/Filter/ Miscellaneous | Page 6 | Accessories | Page 8 |


# NOTE EXPLANATION

**When A <u>Particular Color</u> Is Required It Must Be Specified When Ordering.**

| | |
|---|---|
| ▸ | Special Information, Please read carefully and follow applicable notes. |
| -- | This part is not shown on the pictorial page. |
| **Alt** | Alternate part available in manufacturing this model. |
| **CR** | This replacement part is equal to or better than the original equipment part and should be stocked in the field. |
| **FINISH** | This is a Finished Good Accessory and must be ordered thru the Sales Department. |
| **NEW** | This is a new replacement part and should be stocked in the field. |
| **PHONE** | Coils, panels and other manufactured parts are available while this unit is in production. After this unit is out of production, ordering such parts must be cleared with the Parts Department as price and availability will vary. When a particular color is required, it must be specified when ordering. |
| **STOCK (STK)** | This part should be stocked in the field. |
| 1 | Control Board 62-24044-81 is an equal replacement for 62-24044-01 (HW 9201E2001) or 62-24084-01 (UTEC 1012-920). |
| 2 | This part is a natural gas valve which must be converted to LP(Propane) gas by using the regulator spring assembly listed below the gas control. |
| 3 | These parts are to be used only as repair parts for units which have been converted to LP(Propane) gas by the appropriate conversion kit. |


**AIR CONDITIONING DIVISION**
**UNIVERSAL PARTS ®**
**P.O. BOX 17010**
**FORT SMITH, ARKANSAS 72917-7010**
**501-646-4311**




[383.DGN
FDA 3-2-94
JIM 3-25-94
JIM 7-19-94
JIM 12-5-94
JIM 6-22-95
JIM 7-7-95
JIM 8-4-95

# MODEL NUMBER EXPLANATION

| [-] | G | T | A | - | 04E | M | A | E | S |
|---|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | | (5) | (6) | (7) | (8) | (9) |

(1) Trade Name Identification

(2) G = Gas Furnace

(3) T =Downflow/Horizontal Condensing

(4) Design Series

(5) Heating Capacity (Input)
Hot Surface

| Ignition | Input BTU/HR |
|---|---|
| 04E | 45,000 |
| 06E | 60,000 |
| 07E | 75,000 |
| 09E | 90,000 |
| 10E | 105,000 |
| 12E | 120,000 |

(6) Blower Designation -
M = 11 x 7 DU
R = 11 x 10 DU
Y = 12 x 7 DU
Z = 12 x 11 DU

(7) Variations -
A = Standard
B = Wide Cabinet

(8) Heating & Cooling Designation -
E = 1100 - 1300 CFM
G = 1500 - 1700 CFM
J = 1900 - 2100 CFM

(9) Fuel Designation -
B = Canadian Furnace - Natural Gas
S = U.S. Furnace - Natural Gas

# SERIAL NUMBER EXPLANATION

| DC | 5D | 707 | F | 31 | 95 | 0000 |
|---|---|---|---|---|---|---|
| (1) | (2,3) | (4,5,6) | (7) | (8) | (9) | (10) |

(1) Type Of Control Used On Unit:
DC ) Honeywell 8205H W/Honeywell S9201E2001 W/ Remote Sense
DF ) Honeywell 8205H W/United Technologies 1012-920 W/ Remote Sense

(2) Limit Control:
1 - Watsco Limit Control
5 - T.O.D. Limit Control

(3) Blower:
D - Direct Drive

(4) Heating Element:
7 - Stainless Steel

(5) Special Area Requirement:
0 - No Area Requirement

(6) Motor Horsepower:
2 - 1/2 HP Motor
7 - 3/4 HP Motor

(7) Plant:
F - Fort Smith, AR

(8) Week

(9) Year

(10) Production Number:
Starts with 0001 & runs through 9999 & then starts with 0001 again.

| NO | MODEL HEAT CAPACITY INPUT VARIATIONS | Note | [-]GTA-04 A | [-]GTA-06 A | [-]GTA-07 A | [-]GTA-07 B | [-]GTA-09 A | [-]GTA-10 A | [-]GTA-12 A |
|---|---|---|---|---|---|---|---|---|---|
| | **PANELS & S/M PARTS** | | | | | | | | |
| 1 | JACKET | PHONE | AS-67824-08 | AS-67824-08 | AS-67824-08 | AS-67824-10 | AS-67824-09 | AS-67824-09 | AS-67824-11 |
| 2 | TOP PLATE | PHONE | AE-67805-02 | AE-67805-02 | AE-67805-02 | AE-67805-03 | AE-67805-03 | AE-67805-03 | AE-67805-04 |
| | BLOWER / FILTER DOOR: | | | | | | | | |
| 3 | Trade Name "R" OR "U" | PHONE | AS-61908-01 | AS-61908-01 | AS-61908-01 | AS-61909-01 | AS-61909-01 | AS-61909-01 | AS-61910-01 |
| 4 | Trade Name "W" | PHONE | AS-61863-01 | AS-61863-01 | AS-61863-01 | AS-61864-01 | AS-61864-01 | AS-61864-01 | AS-61865-01 |
| | BURNER DOOR: | | | | | | | | |
| 5 | Trade Name "R" OR "U" | PHONE | AS-61905-01 | AS-61905-01 | AS-61905-01 | AS-61906-01 | AS-61906-01 | AS-61906-01 | AS-61907-01 |
| 6 | Trade Name "W" | PHONE | AS-61866-01 | AS-61866-01 | AS-61866-01 | AS-61867-01 | AS-61867-01 | AS-61867-01 | AS-61868-01 |
| 7 | DOOR ANGLE | PHONE | AS-67847-01 | AS-67847-01 | AS-67847-01 | AS-67847-02 | AS-67847-02 | AS-67847-02 | AS-67847-03 |
| 8 | BAFFLE | PHONE | AE-61876-01 | AE-61875-01 | AE-61875-01 | AE-61876-01 | AE-61875-01 | AE-61875-01 | AE-61875-01 |
| 9 | BAFFLE | PHONE | AE-61876-02 | AE-61875-02 | AE-61875-02 | AE-61876-02 | AE-61875-02 | AE-61875-02 | AE-61875-02 |
| 10 | REAR BAFFLE | PHONE | AE-61878-01 | AE-61878-01 | AE-61878-01 | AE-61878-02 | AE-61878-02 | AE-61878-02 | AE-61878-03 |
| 11 | HEAT EXCHANGER BRACKET (2) | PHONE | AE-67846-02 | AE-67846-02 | AE-67846-02 | AE-67846-02 | AE-67846-02 | AE-67846-02 | AE-67846-02 |
| 12 | JUNCTION BOX | PHONE | AE-67825-01 | AE-67825-01 | AE-67825-01 | AE-67825-01 | AE-67825-01 | AE-67825-01 | AE-67825-01 |
| 13 | JUNCTION BOX COVER | PHONE | AE-61476-02 | AE-61476-02 | AE-61476-02 | AE-61476-02 | AE-61476-02 | AE-61476-02 | AE-61476-02 |
| 14 | CONTROL BOX-(Less Component) | STOCK | 68-22857-01 | 68-22857-01 | 68-22857-01 | 68-22857-01 | 68-22857-01 | 68-22857-01 | 68-22857-01 |
| 15 | CONTROL BOX COVER | PHONE | AE-61699-01 | AE-61699-01 | AE-61699-01 | AE-61699-01 | AE-61699-01 | AE-61699-01 | AE-61699-01 |
| | **PIPING / TRAP / WIRING / FILTER / MISCELLANEOUS** | | | | | | | | |
| 16 | INLET AIR CHASE | NEW | 68-24018-01 | 68-24018-01 | 68-24018-01 | 68-24018-01 | 68-24018-01 | 68-24018-01 | 68-24018-01 |
| 17 | INLET AIR CHASE GASKET | NEW | 68-24022-01 | 68-24022-01 | 68-24022-01 | 68-24022-01 | 68-24022-01 | 68-24022-01 | 68-24022-01 |
| 18 | OUTLET AIR PIPE ASSEMBLY - 2 3/8 " O.D. | NEW | 68-24128-01 | 68-24128-01 | 68-24128-01 | 68-24128-01 | 68-24128-01 | 68-24128-01 | 68-24128-02 |
| 20 | OUTLET AIR PIPE GASKET | NEW | 68-24022-02 | 68-24022-02 | 68-24022-02 | 68-24022-02 | 68-24022-02 | 68-24022-02 | 68-24022-02 |
| 21 | CONNECTOR / TRANSITION - (Connects The Induced Draft Blower Motor) | NEW | 68-24047-10 | 68-24047-10 | 68-24047-10 | 68-24047-11 | 68-24047-11 | 68-24047-11 | 68-24047-12 |
| | TRAP / ELBOW ASSEMBLY: | | | | | | | | |
| | **In The Downflow Installation** | | **The Following Items Can Be Located In The Main Drawing.** | | | | | | |
| 22A | Hose Clamps (4) | STOCK | 64-22043-01 | 64-22043-01 | 64-22043-01 | 64-22043-01 | 64-22043-01 | 64-22043-01 | 64-22043-01 |
| 23A | Clear Vinyl Tube -From Connector / Transition To Trap | NEW | 68-24131-01 | 68-24131-01 | 68-24131-01 | 68-24131-01 | 68-24131-01 | 68-24131-01 | 68-24131-01 |
| 24A | Trap Assembly | STOCK | 68-24048-01 | 68-24048-01 | 68-24048-01 | 68-24048-01 | 68-24048-01 | 68-24048-01 | 68-24048-01 |
| 25 | Trap Mounting Bracket | PHONE | AE-61841-01 | AE-61841-01 | AE-61841-01 | AE-61841-01 | AE-61841-01 | AE-61841-01 | AE-61841-01 |
| 26A | Clear Vinyl Tube - Drain Tube From Center Panel To Trap | STOCK | 68-24026-01 | 68-24026-01 | 68-24026-01 | 68-24026-01 | 68-24026-01 | 68-24026-01 | 68-24026-01 |
| | **In The Horizontal Installation** | | **The Following Items Can Be Located In The Drawing Marked " Trap/Elbow Assembly - Horizontal Installation".** | | | | | | |
| 22B | Hose Clamps (4) | STOCK | 64-22043-01 | 64-22043-01 | 64-22043-01 | 64-22043-01 | 64-22043-01 | 64-22043-01 | 64-22043-01 |
| 23B | Santoprene (Black) Tube - From Connector / Transition To Trap | NEW | 68-24121-01 | 68-24121-01 | 68-24121-01 | 68-24121-01 | 68-24121-01 | 68-24121-01 | 68-24121-01 |
| 24B | Trap | NEW | 68-24120-01 | 68-24120-01 | 68-24120-01 | 68-24120-01 | 68-24120-01 | 68-24120-01 | 68-24120-01 |
| 26B | Clear Vinyl Tube - Drain Tube From Center Panel To Trap | STOCK | 68-24026-01 | 68-24026-01 | 68-24026-01 | 68-24026-01 | 68-24026-01 | 68-24026-01 | 68-24026-01 |
| 27 | Trap Gasket | NEW | 68-24123-01 | 68-24123-01 | 68-24123-01 | 68-24123-01 | 68-24123-01 | 68-24123-01 | 68-24123-01 |
| 28 | Plug Buttons (2) 7/32 " Dia. | NEW | 45-24125-01 | 45-24125-01 | 45-24125-01 | 45-24125-01 | 45-24125-01 | 45-24125-01 | 45-24125-01 |
| 29 | SILICONE TUBE (From the Pressure Switch to the Inducer Mtr) | PHONE | AE-61737-02 | AE-61737-02 | AE-61737-02 | AE-61737-02 | AE-61737-02 | AE-61737-02 | AE-61737-02 |
| 30 | CAP HOUSING | PHONE | AS-61705-03 | AS-61705-03 | AS-61705-03 | AS-61705-03 | AS-61705-03 | AS-61705-03 | AS-61705-03 |
| 31 | PLUG HOUSING | PHONE | AS-61702-05 | AS-61702-05 | AS-61702-05 | AS-61702-05 | AS-61702-05 | AS-61702-05 | AS-61702-05 |
| 32 | PLUG HOUSING | PHONE | AS-61703-04 | AS-61703-04 | AS-61703-04 | AS-61703-04 | AS-61703-04 | AS-61703-04 | AS-61703-04 |
| 33 | WIRE HARNESS | NEW | 45-24090-02 | 45-24090-02 | 45-24090-02 | 45-24090-02 | 45-24090-02 | 45-24090-02 | 45-24090-02 |
| 34 | GROMMET (2) - (One On Each Side Of The Cabinet) | STOCK | 56-22114-01 | 56-22114-01 | 56-22114-01 | 56-22114-01 | 56-22114-01 | 56-22114-01 | 56-22114-01 |
| 35 | PLUG BUTTON (2) -(One On Each Side Of The Cabinet) | STOCK | 45-22980-02 | 45-22980-02 | 45-22980-02 | 45-22980-02 | 45-22980-02 | 45-22980-02 | 45-22980-02 |
| 36 | FILTER RACK | PHONE | AE-66681-01 | AE-66681-01 | AE-66681-01 | AE-66681-01 | AE-66681-01 | AE-66681-01 | AE-66681-01 |
| 37 | FILTER - PLASTIC- PERMANENT | | | | | | | | |
| | 12" X 20" (2) | STOCK | 54-22699-01 | 54-22699-01 | 54-22699-01 | 54-22699-01 | 54-22699-01 | 54-22699-01 | |
| | 14" X 20" (2) | STOCK | | | | | | | 54-22699-02 |

| NO | MODEL<br>HEAT CAPACITY INPUT<br>VARIATIONS | Note | [-]GTA-<br>04<br>A | [-]GTA-<br>06<br>A | [-]GTA-<br>07<br>A | [-]GTA-<br>07<br>B | [-]GTA-<br>09<br>A | [-]GTA-<br>10<br>A | [-]GTA-<br>12<br>A |
|---|---|---|---|---|---|---|---|---|---|
| | ELECTRIC | | | | | | | | |
| 38 | DOOR SWITCH | NEW | 42-22692-02 | 42-22692-02 | 42-22692-02 | 42-22692-02 | 42-22692-02 | 42-22692-02 | 42-22692-02 |
| 39 | LIMIT CONTROL (Includes Gasket) | NEW | 47-24006-09 | 47-24006-07 | 47-24006-01 | 47-24006-09 | 47-24006-10 | 47-24006-06 | 47-24006-01 |
| 40 | OVER TEMPERATURE SWITCH - (Located On Center Panel) | STOCK | 47-22861-01 | 47-22861-01 | 47-22861-01 | 47-22861-01 | 47-22861-01 | 47-22861-01 | 47-22861-01 |
| 41 | OVER TEMP. SWITCH BRKT - (Located On Center Panel) | PHONE | AE-61600-02 | AE-61600-02 | AE-61600-02 | AE-61600-02 | AE-61600-02 | AE-61600-02 | AE-61600-02 |
| 42 | OVER TEMPERATURE SWITCH - (Located On The Burner Support) | NEW | 47-22861-02 QTY 1 | 47-22861-02 QTY 1 | 47-22861-02 QTY 2 | 47-22861-02 QTY 2 | 47-22861-02 QTY 2 | 47-22861-02 QTY 2 | 47-22861-02 QTY 2 |
| 43 | PRESSURE SWITCH | NEW | 42-24012-01 | 42-24012-05 | 42-24012-01 | 42-24012-01 | 42-24012-05 | 42-24012-04 | 42-24012-03 |
| 44 | INDUCER BLOWER MOTOR | STOCK | 70-24033-01 | 70-24033-01 | 70-24033-01 | 70-24033-01 | 70-24033-01 | 70-24033-01 | 70-24033-01 |
| 45 | INDUCER BLWR MTR GASKET | NEW | 68-24016-01 | 68-24016-01 | 68-24016-01 | 68-24016-01 | 68-24016-01 | 68-24016-01 | 68-24016-01 |
| 46 | INTEGRATED IGNITION AND BLOWER CONTROL BOARDS | CR, 1 | 62-24044-81 | 62-24044-81 | 62-24044-81 | 62-24044-81 | 62-24044-81 | 62-24044-81 | 62-24044-81 |
| 47 | TRANSFORMER WITH FUSE | STOCK | 46-22863-02 | 46-22863-02 | 46-22863-02 | 46-22863-02 | 46-22863-02 | 46-22863-02 | 46-22863-02 |
| -- | Transformer Fuse | STOCK | 46-22863-82 | 46-22863-82 | 46-22863-82 | 46-22863-82 | 46-22863-82 | 46-22863-82 | 46-22863-82 |
| 48 | IND BLWR MTR CAPACITOR | NEW | 43-20847-43 | 43-20847-43 | 43-20847-43 | 43-20847-43 | 43-20847-43 | 43-20847-43 | 43-20847-43 |
| 49 | BLOWER MOTOR CAPACITOR | | SEE BLOWER GROUP FOR BLOWER MOTOR CAPACITOR NUMBERS | | | | | | |
| 50 | AUXILIARY LIMIT | STOCK | 47-22860-02 | 47-22860-02 | 47-22860-01 | 47-22860-02 | 47-22860-02 | 47-22860-05 | 47-22860-03 |
| | | | | | | | | | |

| NO | MODEL<br>HEAT CAPACITY INPUT<br>BLOWER DESIGNATION<br>HTG & CLG DESIGNATION | Note | [-]GTA-<br>04/06/07<br>M<br>E | [-]GTA-<br>07<br>Y<br>G | [-]GTA-<br>09/10<br>Z<br>J | [-]GTA-<br>12<br>R<br>J | | | |
|---|---|---|---|---|---|---|---|---|---|
| | BLOWER GROUP | | | | | | | | |
| 51 | BLOWER ASSEMBLY INCLUDING: | PHONE | AS-61697-38 | AS-61697-39 | AS-61697-40 | AS-61697-41 | | | |
| 52 | Housing | PHONE | AS-61674-14 | AS-61674-14 | AS-61674-15 | AS-61674-16 | | | |
| 53 | Motor Mounting Legs (4) | PHONE | AE-61698-01 | AE-61698-01 | AE-61698-02 | AE-61698-01 | | | |
| 54 | Motor: | | | | | | | | |
| | 1/2 HP, 115 Volts, 4 Speed | STOCK | 51-24042-01 | | | | | | |
| | 3/4 HP, 115 Volts, 4 Speed | STOCK | | 51-24043-01 | 51-24043-01 | 51-24043-01 | | | |
| 49 | Motor Capacitor: | | | | | | | | |
| | 7.5 / 370 MFD/Volts, Round | STOCK | 43-21298-42 | | | | | | |
| | 15 / 370 MFD/Volts, Round | STOCK | | 43-21298-45 | 43-21298-45 | 43-21298-45 | | | |
| 55 | Wheel: | | | | | | | | |
| | 11" x 7", CW, 1/2" Bore | CR | 70-21476-01 | | | | | | |
| | 11" x 10", CW, 1/2" Bore | STOCK | | | | 70-20602-01 | | | |
| | 12" x 7", CW, 1/2' Bore | NEW | | 70-24119-01 | | | | | |
| | 12" x 11", CW, 1/2" Bore | NEW | | | 70-24041-01 | | | | |
| | | | | | | | | | |

| NO | MODEL HEAT CAPACITY INPUT VARIATIONS | Note | [-]GTA-04 A | [-]GTA-06 A | [-]GTA-07 A | [-]GTA-07 B | [-]GTA-09 A | [-]GTA-10 A | [-]GTA-12 A |
|---|---|---|---|---|---|---|---|---|---|
| | **HEAT EXCHANGER / BURNER/ MANIFOLD / ORIFICE** | | | | | | | | |
| 56 | HEAT EXCHANGER | PHONE | AS-67834-08 | AS-67834-09 | AS-67834-10 | AS-67834-12 | AS-67834-11 | AS-67834-13 | AS-67834-14 |
| 57 | BURNER | NEW | 75-24267-01 QTY 3 | 75-24267-01 QTY 4 | 75-24267-01 QTY 5 | 75-24267-01 QTY 5 | 75-24267-01 QTY 6 | 75-24267-01 QTY 7 | 75-24267-01 QTY 8 |
| 58 | MANIFOLD LESS ORIFICES | NEW | 81-24011-01 | 81-24011-02 | 81-24011-03 | 81-24011-03 | 81-24011-04 | 81-24011-05 | 81-24011-06 |
| 59 | **BURNER ORIFICE - NATURAL** | | | | | | | | |
| | U.S. Models 0-8000' And Canadian Models 0-2000' Elevation | STOCK | 62-22175-50 QTY 3 | 62-22175-50 QTY 4 | 62-22175-50 QTY 5 | 62-22175-50 QTY 5 | 62-22175-50 QTY 6 | 62-22175-50 QTY 7 | 62-22175-50 QTY 8 |
| | U.S. Models 8000+ ' And Canadian Models 2000' - 4500' Elevation | STOCK | 62-22175-51 QTY 3 | 62-22175-51 QTY 4 | 62-22175-51 QTY 5 | 62-22175-51 QTY 5 | 62-22175-51 QTY 6 | 62-22175-51 QTY 7 | 62-22175-51 QTY 8 |
| 60 | BURNER SUPPORT BRACKET (2) | PHONE | AE-61808-01 | AE-61808-01 | AE-61808-01 | AE-61808-01 | AE-61808-01 | AE-61808-01 | AE-61808-01 |
| 61 | BURNER SUPPORT | PHONE | AE-61809-01 | AE-61809-02 | AE-61809-03 | AE-61809-03 | AE-61809-04 | AE-61809-05 | AE-61809-06 |
| | | | | | | | | | |
| | **GAS CONTROL - HONEYWELL HOT SURFACE IGNITION** | | | | | | | | |
| | **SERIAL NUMBER CODE - DC, DF** | | | | | | | | |
| 62 | GAS VALVE - HW 8205H, Natural | STOCK | 60-22866-01 | 60-22866-01 | 60-22866-01 | 60-22866-01 | 60-22866-01 | 60-22866-01 | 60-22866-01 |
| 63 | IGNITOR -Norton | CR | 62-22868-93 | 62-22868-93 | 62-22868-93 | 62-22868-93 | 62-22868-93 | 62-22868-93 | 62-22868-93 |
| 64 | IGNITOR SHIELD | PHONE | AE-61627-01 | AE-61627-01 | AE-61627-01 | AE-61627-01 | AE-61627-01 | AE-61627-01 | AE-61627-01 |
| 65 | IGNITOR BRACKET | PHONE | AE-61581-01 | AE-61581-01 | AE-61581-01 | AE-61581-01 | AE-61581-01 | AE-61581-01 | AE-61581-01 |
| 66 | REMOTE FLAME SENSOR | STOCK | 62-23543-01 | 62-23543-01 | 62-23543-01 | 62-23543-01 | 62-23543-01 | 62-23543-01 | 62-23543-01 |
| -- | LP / PROPANE CONVERSION KITS: | | | | | | | | |
| | **U.S. MODELS** | | | | | | | | |
| | 0-8000' ELEVATION | STOCK | EP-80H | EP-80H | EP-80H | EP-80H | EP-80H | EP-80H | EP-80H |
| 62 -- | GAS Valve For LP Gas, Use HW8205H Natural And Spring Conversion Assembly | STK 2,3 STK 3 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 |
| 59 | Burner Orifice - LP | STK 3 | 62-22175-91 QTY 3 | 62-22175-91 QTY 4 | 62-22175-91 QTY 5 | 62-22175-91 QTY 5 | 62-22175-91 QTY 6 | 62-22175-91 QTY 7 | 62-22175-91 QTY 8 |
| | 8000 + ' ELEVATION | STOCK | EP-88H | EP-88H | EP-88H | EP-88H | EP-88H | EP-88H | EP-88H |
| 62 -- | Gas Valve For LP Gas, Use HW8205H Natural And Spring Conversion Assembly | STK 2,3 STK 3 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 |
| 59 | Burner Orifice-LP | STK 3 | 62-22175-90 QTY 3 | 62-22175-90 QTY 4 | 62-22175-90 QTY 5 | 62-22175-90 QTY 5 | 62-22175-90 QTY 6 | 62-22175-90 QTY 7 | 62-22175-90 QTY 8 |
| | **CANADIAN MODELS:** | | | | | | | | |
| | 0-4500' ELEVATION | STOCK | EP-81H | EP-81H | EP-81H | EP-81H | EP-81H | EP-81H | EP-81H |
| 62 -- | Gas Valve For Propane Gas, Use HW8205H Natural And Spring Conversion Assembly | STK 2,3 STK 3 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 | 60-22866-01 60-22513-01 |
| 59 | Burner Orifice - Propane | STK 3 | 62-22175-91 QTY 3 | 62-22175-91 QTY 4 | 62-22175-91 QTY 5 | 62-22175-91 QTY 5 | 62-22175-91 QTY 6 | 62-22175-91 QTY 7 | 62-22175-91 QTY 8 |
| | | | | | | | | | |
| | **ACCESSORIES** | | | | | | | | |
| -- | HIGH ALTITUDE PRESSURE SWITCH KIT | FINISH | RXGY-F06 | RXGY-F06 | RXGY-F07 | RXGY-F07 | RXGY-F06 | RXGY-F04 | RXGY-F05 |
| 43 | Pressure Switch | NEW | 42-42012-04 | 42-24012-04 | 42-24012-07 | 42-24012-07 | 42-24012-04 | 42-24012-08 | 42-24012-06 |
| 59 | Burner Orifice - Natural | STOCK | 62-22175-51 QTY 3 | 62-22175-51 QTY 4 | 62-22175-51 QTY 5 | 62-22175-51 QTY 5 | 62-22175-51 QTY 6 | 62-22175-51 QTY 7 | 62-22175-51 QTY 8 |
| | | | | | | | | | |